

	2026-1					2026-2				2026-3				2026-4				2026-5				2026-6			
	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
Hardware Move the notes from "warehouse" to redmine. Create BOM creator script with warehouse (...) Cablemeter PCB: missing info for 3V CANBuz Create sinewave for DAC/DMA Helios Check I2C pullups Driver board: No level shifter for I2C Calculate voltage-divider for "Enable" (...) Eval-RTC: Strange behaviour when battery (...) Resistor between BAT and "Enable" is (...) mainSwitch PCB routing problem Switch via photodiode Power supply on CANBus is very poor Wakeup-Button is not working Verseion 2: more power, RTC LM25056: Current calculated wrongly Minutnik Buttons do not fit Minutnik elnk Does UART-RX need Pullu por -down? Minutnik elnk - v0.2.x consumption tests completely (...) Yellow and red LEDs are quite (...) Power consumption too high																									

Are both wakeups working correctly NUC64DEBUG use bigger buttons NUC64DEBUG - v0.3.x BOOT0 Button pulls pin low instead (...) Rufa Footprint fuer thermocouple-Kupplung (...) Introduce more noise filtering One pin is completely missing Housing sensemux Bringup HW v0.2.x Software Campo implement hwdata stterm command create custom targets to cmake file (...) implement font converter Biwak implement SPI DMA transmit Implement DMA USB Clean up heart-beat-LED-code Test implementation of eventLoop (...) Document tipps and tricks Verify dynamic sleep MAX31855: Negative values are not (...) Biwak - v2.17.0 use 128 bit UID Implement dynamic sleep Blink modes: Use slower timings (...) Host GUI: Pressing button (...) Allow more retain containers (...) Retain: Use bigger data type (...) CRC: Make methods const. Touch: Whole processing is (...)	
--	--

Biwak - v2.18.0 Simulate touch display on (...) Cordyceps Cordyceps - v99.0.0 Show marker in plots Show event marker in plots Kokon Check board id and revision before (...) libcampo bringup: Create test to write internal (...) unit tests: parse hwinfo files campo.sh: verify "release" function campo.sh: add changeLogSubmodules hwdata: clean up Vagus: CAN: use filters libcampo - v0.99.0 Bringup: verify/calibrate (...) liblepto CMake: No install target Make it compile for host computer liblepto - v0.6.1 Implement CONFIG_LEPTO_RING_CUSTOM_DATA Add unit tests for strings. Support expandable lists CList: Add method for searching (...) libocelli Use changeable framework libocelli - v99.0.0 implement png reader libscapus bme680: calculate absolute humidity theme_noto theme_noto - v0.2.0 create const icon references	
--	--

campoTemplate There is no actual template for README.md Git history is not reset Canbridge Retransmit Messages Check RSSI instead of delaying Inject heartbeat from radio, expect (...) Expect section-id to vanish from section-mask (...) Inject an message from radio, expect (...) Inject same message from radio, expect (...) Inject message via CAN, expect it on (...) Inject message via CAN, expect it on (...) Enable source section-id; Inject message (...) Enable source section-id; Inject message (...) Canbridge - 0.1.0 Multi-Nodes Measure current consumption in (...) Canbridge - 0.2.0 Use listening mode Canbridge - v0.0.5 support bootcounter in config CANDis change TDT command to set/get time/date (...) CANDis - v0.7.1 When switchin from "minutnik running (...) Reading touch calibration is very (...) CANDis - v0.8.0 USB CDC tester CANDis - v0.99.0 Evaluate RTC calibration CANHub Connectors: tolerate wrong sizes CANHub - v0.2.0 Implement Heartbeat	CANHub
---	----------------------

implement monitor mode Dynamic port assigning CANHub - v0.3.0 multiple servers Loop detection Add websocket server CANIO Send alarm on I2C error CANRec CANRec - v0.3.0 Find first replay block fast Specify timestamps CANSwitch timeout warning Fading out before timeout Send keep-alive Send wanna-sleep Test arena generated handler structure fosh fosh - v0.3.0 implement generic subcommands Run on host natively Add support for backspace key Helios Interrupt inactive when device is started Mainswitch Low voltage alert timeout shutdown An keep-awake-event via CAN should extend (...) Shutdown command miniminutnik hw v0.2.x: add quirk to board file for (...) Minutnik elnk Minutnik elnk - v0.99.0	
--	--

Font in SPI-Flash Mito - implement validate mode MWidgets - CPlotter: show date when time range (...) PhonyBL - Implement big Statemachine Rufa - Verify smootheners - Simplify smootheners - Add fast readout command Sensemux SW - RTC does not store date - evaluate more values - Why does mainswitch stabilize values? Squeezer - Readme is missing - Errors are not handled reliable TCB - GCC 15 is out - TCB - v1.10.0 - Generate list of packages - TCB - v1.6.6 - autoconf directory from host is (...) - activate chroot tests again - python-host: on debian pip and (...) - TCB - v1.8.3 - Not all binaries get patched to (...) - TCB - v1.9.0 - Python from host is involved TDTPrompt - TDTPrompt - v0.2.0 - Show CANHub connector status on (...) pics	
---	--

bilder pic2	
------------------------------	--